クランプユニット

トグルダウンクランプ211-L ROHS対応

HOLD DOWN TOGGLE CLAMP 211-L









材質 SM490

表面処理 亜鉛メッキ

「付属品」 クランピングスクリュー

●安全レバーを解除しなければ操作できない構造になってお りますので誤操作・誤作動を防げます。















211-1-L

211-2-L

211-3-L

211-4-L

211-5-L

■サイズ表

No.	Α	В	С	D	Е	F	G	Н	- 1	J	Κ	L	Μ	Ν	0	Р	Q Q*
211-1-L	26	37	44	26	5.25	16	-	24	27	23	10	-5 ~ 6.5	5	5	18	34	105° -
211-2-L	32	40	62	42	6.5	13	20	27	-	26	13	-4.5~ 4	4	6	20	50	105° -
211-3-L	40	47.5	67	42	8.4	19	25	31.5	32.5	37	16	-3 ~11.5	5	7.5	25	52	105° -
211-4-L	52	67	100	67	10.5	28	34.5	40	48.5	47	20	-8.5~12.	5	9	34	82	135° 105°
211-5-L	65	75	130	88	12.5	24.5	45	44.5	52	58	25	-3 ~16.5	6	9	42	107	135° 105°

※ストップピンにより、角度が変更できます。

■11.1/1款・11世代表										
オーダーNo.	No.	締付.	カkN	保持:	力kN	ボルト径×ピッチ×長さ	全長×全高	質量kg	価格	
		R1	R2	S1	S2	パルト住人にツテへ長さ				
* 130108	211-1-L	0.75	0.5	1	0.68	M 5×0.8 × 43.5	70×125	0.16	3,650	
* 130109	211-2-L	1.2	0.7	1.4	0.93	M 6×1 × 50.5	94×141	0.24	3,820	
* 130110	211-3-L	2	1.4	2.5	1.56	M 8×1.25× 63.5	107×187	0.41	4,230	
* 130111	211-4-L	3	2	3.3	2.2	M10×1.5 × 87	152×240	0.89	6,950	
* 130112	211-5-L	4.5	2.5	5	3	M12×1.75×100	195×263	1.51	9,750	

■参照ページ













