


ハイトシリンダー

RoHS対応

HEIGHT CYLINDERS No.E-9331

ERON®



材質 SCM420



熱処理 焼入HRC57±3

表面処理 黒染め

▽▽ (▽▽▽, ▽)

11279-08002~08007

11279-08008~08020




仕様・価格表

* 標準在庫品

オーダーNo.	No.	適合ボルト	A	B	Bの許容差	C	D	E	質量Kg	価格
*950488	11279-08002	M4	12	2	$\begin{smallmatrix} 0 \\ -0.006 \end{smallmatrix}$	4.5	-	-	0.002	2,360
*950489	11279-08003	M4	12	3	$\begin{smallmatrix} 0 \\ -0.006 \end{smallmatrix}$	4.5	-	-	0.002	2,360
*950490	11279-08004	M4	12	4	$\begin{smallmatrix} 0 \\ -0.008 \end{smallmatrix}$	4.5	-	-	0.003	2,360
*950491	11279-08005	M4	12	5	$\begin{smallmatrix} 0 \\ -0.008 \end{smallmatrix}$	4.5	-	-	0.004	2,410
*950492	11279-08006	M4	12	6	$\begin{smallmatrix} 0 \\ -0.008 \end{smallmatrix}$	4.5	-	-	0.005	2,410
*950493	11279-08007	M4	12	7	$\begin{smallmatrix} 0 \\ -0.009 \end{smallmatrix}$	4.5	-	-	0.005	2,410
*950494	11279-08008	M4	12	8	$\begin{smallmatrix} 0 \\ -0.009 \end{smallmatrix}$	4.5	8	4.5	0.005	2,670
*950495	11279-08009	M4	12	9	$\begin{smallmatrix} 0 \\ -0.009 \end{smallmatrix}$	4.5	8	4.5	0.006	2,690
*950496	11279-08010	M4	12	10	$\begin{smallmatrix} 0 \\ -0.009 \end{smallmatrix}$	4.5	8	4.5	0.006	2,760
*950497	11279-08011	M4	12	11	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	4.5	8	4.5	0.007	2,790
*950498	11279-08020	M4	12	20	$\begin{smallmatrix} 0 \\ -0.013 \end{smallmatrix}$	4.5	8	4.5	0.014	3,040

使用例




参照ページ

皿ビス



P.899 ▶




材 質 SCM420

熱処理 焼入 HRC60 ± 3


表面処理 黒染め

▽ (▽▽▽)


11279-10002~10004



11279-10011~10100



11279-10005~10109

※取付けは、No.E-9697皿ビス
をお使いください。

仕様・価格表


* 標準在庫品

オーダーNo.	No.	適合ボルト	A	B	Bの許容差	C	D	E	質量kg	価格
* 919518	11279-10002	M8	24	2	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	-	-	0.01	3,810
* 919519	11279-10003	M8	24	3	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	-	-	0.01	3,810
* 919520	11279-10004	M8	24	4	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	-	-	0.01	3,810
* 919521	11279-10005	M8	24	5	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	16.4	-	0.02	3,810
* 919522	11279-10006	M8	24	6	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	16.4	-	0.02	3,810
* 919523	11279-10007	M8	24	7	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	16.4	-	0.02	3,570
* 919524	11279-10008	M8	24	8	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	16.4	-	0.02	3,570
* 919525	11279-10009	M8	24	9	$\begin{smallmatrix} 0 \\ -0.01 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919526	11279-10010	M8	24	10	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919527	11279-10101	M8	24	10.1	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919528	11279-10102	M8	24	10.2	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919529	11279-10103	M8	24	10.3	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919530	11279-10104	M8	24	10.4	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919531	11279-10105	M8	24	10.5	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919532	11279-10106	M8	24	10.6	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919533	11279-10107	M8	24	10.7	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919534	11279-10108	M8	24	10.8	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919535	11279-10109	M8	24	10.9	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	16.4	-	0.03	3,570
* 919536	11279-10011	M8	24	11	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.03	3,570
* 919537	11279-10012	M8	24	12	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.03	3,570
* 919538	11279-10013	M8	24	13	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.03	3,570
* 919539	11279-10014	M8	24	14	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.03	3,570
* 919540	11279-10015	M8	24	15	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.04	3,570
* 919541	11279-10016	M8	24	16	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.04	3,570
* 919542	11279-10017	M8	24	17	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.04	3,810
* 919543	11279-10018	M8	24	18	$\begin{smallmatrix} 0 \\ -0.011 \end{smallmatrix}$	9	15	8.5	0.05	3,810
* 919544	11279-10019	M8	24	19	$\begin{smallmatrix} 0 \\ -0.013 \end{smallmatrix}$	9	15	8.5	0.05	3,810
* 919545	11279-10020	M8	24	20	$\begin{smallmatrix} 0 \\ -0.013 \end{smallmatrix}$	9	15	8.5	0.05	3,810
* 919546	11279-10030	M8	24	30	$\begin{smallmatrix} 0 \\ -0.013 \end{smallmatrix}$	9	15	8.5	0.08	3,810
* 919547	11279-10040	M8	24	40	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	9	15	8.5	0.11	3,810
* 919548	11279-10050	M8	24	50	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	9	15	8.5	0.14	3,810
* 919549	11279-10060	M8	24	60	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	9	15	8.5	0.18	6,900
* 919550	11279-10070	M8	24	70	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	9	15	8.5	0.20	6,900
* 919551	11279-10080	M8	24	80	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	9	15	8.5	0.23	6,900
* 919552	11279-10090	M8	24	90	$\begin{smallmatrix} 0 \\ -0.022 \end{smallmatrix}$	9	15	8.5	0.26	7,100
* 919596	11279-10100	M8	24	100	$\begin{smallmatrix} 0 \\ -0.022 \end{smallmatrix}$	9	15	8.5	0.29	7,100

ハイトシリンダー

RoHS対応

HEIGHT CYLINDERS No.E-9331



材質 SCM420



熱処理 焼入 HRC60 ± 3

表面処理 黒染め

▽ [▽▽▽]

11279-20002~20014


11279-20015~20100



仕様・価格表

* 標準在庫品

オーダーNo.	No.	適合ボルト	A	B	Bの許容差	C	D	E	質量kg	価格
* 904741	11279-20002	M12	36	2	$0_{-0.006}^0$	13	-	-	0.01	4,750
* 904742	11279-20003	M12	36	3	$0_{-0.006}^0$	13	-	-	0.02	4,750
* 904743	11279-20004	M12	36	4	$0_{-0.008}^0$	13	-	-	0.03	4,750
* 904751	11279-20005	M12	36	5	$0_{-0.008}^0$	13	-	-	0.03	4,750
* 904752	11279-20006	M12	36	6	$0_{-0.008}^0$	13	-	-	0.04	4,750
* 904753	11279-20007	M12	36	7	$0_{-0.009}^0$	13	-	-	0.05	3,940
* 904754	11279-20008	M12	36	8	$0_{-0.009}^0$	13	-	-	0.05	3,940
* 904755	11279-20009	M12	36	9	$0_{-0.009}^0$	13	-	-	0.06	3,940
* 904756	11279-20010	M12	36	10	$0_{-0.009}^0$	13	-	-	0.07	3,940
* 904757	11279-20101	M12	36	10.1	$0_{-0.011}^0$	13	-	-	0.07	3,940
* 904758	11279-20102	M12	36	10.2	$0_{-0.011}^0$	13	-	-	0.07	3,940
* 904759	11279-20103	M12	36	10.3	$0_{-0.011}^0$	13	-	-	0.07	3,940
* 904760	11279-20104	M12	36	10.4	$0_{-0.011}^0$	13	-	-	0.07	3,940
* 904761	11279-20105	M12	36	10.5	$0_{-0.011}^0$	13	-	-	0.07	3,940
* 904762	11279-20106	M12	36	10.6	$0_{-0.011}^0$	13	-	-	0.07	4,110
* 904763	11279-20107	M12	36	10.7	$0_{-0.011}^0$	13	-	-	0.07	4,110
* 904764	11279-20108	M12	36	10.8	$0_{-0.011}^0$	13	-	-	0.08	4,110
* 904765	11279-20109	M12	36	10.9	$0_{-0.011}^0$	13	-	-	0.08	4,110
* 904766	11279-20011	M12	36	11	$0_{-0.011}^0$	13	-	-	0.08	4,110
* 904767	11279-20012	M12	36	12	$0_{-0.011}^0$	13	-	-	0.09	4,110
* 904768	11279-20013	M12	36	13	$0_{-0.011}^0$	13	-	-	0.09	4,110
* 904769	11279-20014	M12	36	14	$0_{-0.011}^0$	13	-	-	0.10	4,110
* 904770	11279-20015	M12	36	15	$0_{-0.011}^0$	13	23	12.5	0.08	5,200
* 904771	11279-20016	M12	36	16	$0_{-0.011}^0$	13	23	13	0.08	5,200
* 904772	11279-20017	M12	36	17	$0_{-0.011}^0$	13	23	13	0.09	5,200
* 904773	11279-20018	M12	36	18	$0_{-0.011}^0$	13	23	13	0.10	5,200
* 904774	11279-20019	M12	36	19	$0_{-0.013}^0$	13	23	14	0.10	5,200
* 904775	11279-20020	M12	36	20	$0_{-0.013}^0$	13	23	14	0.10	5,200
* 904776	11279-20030	M12	36	30	$0_{-0.013}^0$	13	23	14	0.12	5,400
* 904777	11279-20040	M12	36	40	$0_{-0.016}^0$	13	23	14	0.24	5,400
* 904778	11279-20050	M12	36	50	$0_{-0.016}^0$	13	23	14	0.31	5,550
* 904779	11279-20060	M12	36	60	$0_{-0.019}^0$	13	23	14	0.38	8,550
* 904780	11279-20070	M12	36	70	$0_{-0.019}^0$	13	23	14	0.45	8,550
* 904781	11279-20080	M12	36	80	$0_{-0.019}^0$	13	23	14	0.52	8,550
* 904782	11279-20090	M12	36	90	$0_{-0.022}^0$	13	23	14	0.59	8,550
* 904783	11279-20100	M12	36	100	$0_{-0.022}^0$	13	23	14	0.66	8,550



材 質 SCM420


熱処理 焼入 HRC60 ± 3

表面処理 黒染め

▽▽ (▽・▽▽▽)

11279-31004~31020

11279-31025~31200



* 標準在庫品


■仕様・価格表

オーダーNo.	No.	適合ボルト	A	B	Bの許容差	C	D	E	質量kg	価格
* 915892	11279-31002	M16	56	2	0.006	18	-	-	0.03	4,050
* 915893	11279-31003	M16	56	3	0.006	18	-	-	0.05	4,050
* 905061	11279-31004	M16	56	4	0.008	18	-	-	0.07	4,050
* 905062	11279-31005	M16	56	5	0.008	18	-	-	0.09	4,050
* 905063	11279-31006	M16	56	6	0.008	18	-	-	0.11	4,050
* 905064	11279-31007	M16	56	7	0.009	18	-	-	0.12	4,050
* 905065	11279-31008	M16	56	8	0.009	18	-	-	0.14	4,050
* 905066	11279-31009	M16	56	9	0.009	18	-	-	0.16	4,050
* 905067	11279-31010	M16	56	10	0.011	18	-	-	0.17	4,050
* 907011	11279-31101	M16	56	10.1	0.011	18	-	-	0.17	4,050
* 907012	11279-31102	M16	56	10.2	0.011	18	-	-	0.18	4,050
* 907013	11279-31103	M16	56	10.3	0.011	18	-	-	0.18	4,050
* 907014	11279-31104	M16	56	10.4	0.011	18	-	-	0.18	4,050
* 907015	11279-31105	M16	56	10.5	0.011	18	-	-	0.18	4,050
* 907016	11279-31106	M16	56	10.6	0.011	18	-	-	0.18	4,050
* 907017	11279-31107	M16	56	10.7	0.011	18	-	-	0.18	4,050
* 907018	11279-31108	M16	56	10.8	0.011	18	-	-	0.19	4,050
* 907019	11279-31109	M16	56	10.9	0.011	18	-	-	0.19	4,050
* 905068	11279-31011	M16	56	11	0.011	18	-	-	0.19	4,050
* 905069	11279-31012	M16	56	12	0.011	18	-	-	0.21	4,050
* 905070	11279-31013	M16	56	13	0.011	18	-	-	0.23	4,050
* 905071	11279-31014	M16	56	14	0.011	18	-	-	0.24	4,050
* 905072	11279-31015	M16	56	15	0.011	18	-	-	0.26	4,050
* 905073	11279-31016	M16	56	16	0.011	18	-	-	0.28	4,290
* 905074	11279-31017	M16	56	17	0.011	18	-	-	0.30	4,290
* 905075	11279-31018	M16	56	18	0.013	18	-	-	0.31	4,290
* 905076	11279-31019	M16	56	19	0.013	18	-	-	0.33	4,290
* 905077	11279-31020	M16	56	20	0.013	18	-	-	0.35	4,290
* 905078	11279-31025	M16	56	25	0.013	18	26	17	0.40	4,520
* 905079	11279-31030	M16	56	30	0.016	18	26	17	0.48	4,750
* 905080	11279-31035	M16	56	35	0.016	18	26	17	0.57	4,990
* 905081	11279-31040	M16	56	40	0.016	18	26	17	0.65	4,990
* 905082	11279-31045	M16	56	45	0.016	18	26	17	0.74	5,500
* 905083	11279-31050	M16	56	50	0.019	18	26	17	0.83	5,500
* 905084	11279-31060	M16	56	60	0.019	18	26	17	0.91	6,200
* 905085	11279-31070	M16	56	70	0.019	18	26	17	1.10	6,450
* 905086	11279-31075	M16	56	75	0.019	18	26	17	1.17	6,550
* 905087	11279-31080	M16	56	80	0.022	18	26	17	1.35	7,100
* 905088	11279-31090	M16	56	90	0.022	18	26	17	1.52	7,550
* 905089	11279-31100	M16	56	100	0.022	18	26	17	1.70	7,900
* 905090	11279-31120	M16	56	120	0.025	18	26	17	2.04	9,200
* 905091	11279-31160	M16	56	160	0.025	18	26	17	2.73	11,200
* 905092	11279-31200	M16	56	200	0.029	18	26	17	3.42	12,900

ハイトシリンダー

RoHS対応


HEIGHT CYLINDERS No.E-9331



材質 SCM420

熱処理 焼入 HRC60 ± 3

表面処理 黒染め



仕様・価格表

* 標準在庫品

オーダーNo.	No.	適合ボルト	A	B	Bの許容差	C	D	E	質量kg	価格
* 905093	11279-41025	M16	75	25	$\begin{smallmatrix} 0 \\ -0.013 \end{smallmatrix}$	18	26	17	0.75	5,950
* 905094	11279-41030	M16	75	30	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	18	26	17	0.92	6,200
* 905095	11279-41035	M16	75	35	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	18	26	17	1.08	6,600
* 905096	11279-41040	M16	75	40	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	18	26	17	1.25	6,900
* 905097	11279-41045	M16	75	45	$\begin{smallmatrix} 0 \\ -0.016 \end{smallmatrix}$	18	26	17	1.42	7,450
* 905098	11279-41050	M16	75	50	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	18	26	17	1.58	7,750
* 905099	11279-41075	M16	75	75	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	18	26	17	2.40	9,600
* 905100	11279-41100	M16	75	100	$\begin{smallmatrix} 0 \\ -0.022 \end{smallmatrix}$	18	26	17	3.23	11,400
* 951909	11279-51050	M20	75	50	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	22	32	22	1.50	8,250
* 951910	11279-51075	M20	75	75	$\begin{smallmatrix} 0 \\ -0.019 \end{smallmatrix}$	22	32	22	2.25	10,500
* 951911	11279-51100	M20	75	100	$\begin{smallmatrix} 0 \\ -0.022 \end{smallmatrix}$	22	32	22	2.95	12,500
* 951912	11279-51130	M20	75	130	$\begin{smallmatrix} 0 \\ -0.03 \end{smallmatrix}$	22	32	22	4.05	13,600
* 951913	11279-51150	M20	75	150	$\begin{smallmatrix} 0 \\ -0.03 \end{smallmatrix}$	22	32	22	4.72	18,600

使用例

