

インサートノズルPM型


INSERT NOZZLES No.E-9991PM

RoHS対応

サイズ追加

ERON®

QPM




Aタイプ

B-1タイプ

B-2タイプ


■使用例




材 質 本体：B-1 タイプ / 真鍮
A・B-2 タイプ / SUS416
ノズル・ボール：SUS303

最大圧力 10MPa 耐熱温度 70℃ 取付方法 ネジ込み

●10MPaの高圧タイプです。



Aタイプ



Bタイプ

■仕様・価格表 (取付ネジ径 R1/16)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 111454	PM13B-1	B-1	R1/16	17.5	9.5	6.4	2.3	9.5	11.1	1	4	34°	9.8	8,550	7,700
* 111455	PM13B-2	B-2	R1/16	17.5	9.5	6.4	2.3	9.5	11.1	1	4	34°	8	11,100	9,900
* 157111	PM11615	B-1	R1/16	17.5	9.5	0	2.3	9.5	11.1	1.6	4	40°	9.9	9,250	8,350
* 157112	PM11616-SS	B-2	R1/16	17.5	9.5	0	2.3	9.5	11.1	1.6	4	40°	9	12,000	10,900
* 111456	PM14B-1	B-1	R1/16	17.5	9.5	6.4	2.3	9.5	11.1	1.6	4	34°	9.6	8,550	7,700
* 111457	PM14B-2	B-2	R1/16	17.5	9.5	6.4	2.3	9.5	11.1	1.6	4	34°	8	11,100	9,900
* 157113	PM11630	B-1	R1/16	17.5	9.5	0	2.3	9.5	11.1	2.1	4	36°	9.8	9,250	8,350
* 157114	PM11632-SS	B-2	R1/16	17.5	9.5	0	2.3	9.5	11.1	2.1	4	36°	9	12,000	10,900

■仕様・価格表 (取付ネジ径 R1/8)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 972919	PM1B-1	B-1	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	1	5.6	37°	15	8,550	7,700
* 972920	PM1B-2	B-2	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	1	5.6	37°	15	11,200	10,000
* 972921	PM2B-1	B-1	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	1.6	5.6	37°	15	8,550	7,700
* 972922	PM2B-2	B-2	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	1.6	5.6	37°	15	11,200	10,000
* 111444	PM6B-1	B-1	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	1.6	5.6	26°	18.4	8,800	7,950
* 111445	PM6B-2	B-2	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	1.6	5.6	26°	17.2	11,500	10,300
* 972923	PM3B-1	B-1	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	2.2	5.6	37°	15	8,550	7,700
* 972924	PM3B-2	B-2	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	2.2	5.6	37°	15	11,200	10,000
* 111446	PM7B-1	B-1	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	2.2	5.6	26°	18.2	8,800	7,950
* 111447	PM7B-2	B-2	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	2.2	5.6	26°	17	11,500	10,300
* 972925	PM4B-1	B-1	R1/8	20.6	11.1	0	2.3	12.7	14.3	3	5.6	41°	15	8,550	7,700
* 972926	PM4B-2	B-2	R1/8	20.6	11.1	0	2.3	12.7	14.3	3	5.6	41°	15	11,200	9,900
* 972927	PM5B-1	B-1	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	3	5.6	30°	15	8,550	7,700
* 972928	PM5B-2	B-2	R1/8	20.6	11.1	6.4	2.3	12.7	14.3	3	5.6	30°	15	11,200	10,000
* 111448	PM8B-1	B-1	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	3	5.6	26°	17.6	8,800	7,950
* 111449	PM8B-2	B-2	R1/8	20.6	11.1	31.8	2.3	12.7	14.3	3	5.6	26°	16.6	11,500	10,300
* 157115	PM04046	B-1	R1/8	20.6	11.1	0.6	2.3	12.7	14.3	4.1	5.6	30°	16.2	9,100	8,200
* 157116	PM04048-SS	B-2	R1/8	20.6	11.1	0.6	2.3	12.7	14.3	4.1	5.6	30°	14.9	11,800	10,700

■仕様・価格表 (取付ネジ径 R1/4)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 157117	PM07100	B-1	R1/4	23.6	12.7	8	2.3	14.3	15.9	1	7.9	36°	24.5	11,200	10,100
* 157118	PM04110-SS	B-2	R1/4	23.6	12.7	8	2.3	14.3	15.9	1	7.9	36°	22.7	14,500	13,200
* 157119	PM07110	B-1	R1/4	23.6	12.7	8	2.3	14.3	15.9	1.6	7.9	36°	24.4	11,200	10,100
* 157120	PM04120-SS	B-2	R1/4	23.6	12.7	8	2.3	14.3	15.9	1.6	7.9	36°	22.6	14,500	13,200
* 111458	PM15B-1	B-1	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	1.6	8	32°	24.6	10,400	9,350
* 111459	PM15B-2	B-2	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	1.6	8	32°	23	13,600	12,200
* 157121	PM07120	B-1	R1/4	23.6	12.7	8	2.3	14.3	15.9	2.2	7.9	36°	24.2	11,200	10,100
* 157122	PM04130-SS	B-2	R1/4	23.6	12.7	8	2.3	14.3	15.9	2.2	7.9	36°	22.4	14,500	13,200
* 111460	PM16B-1	B-1	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	2.2	8	32°	24	10,400	9,350
* 111461	PM16B-2	B-2	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	2.2	8	32°	21	13,600	12,200
* 157123	PM07130	B-1	R1/4	23.6	12.7	1.6	2.3	14.3	15.9	3	7.9	44°	23.4	11,000	9,900
* 157124	PM04138-SS	B-2	R1/4	23.6	12.7	1.6	2.3	14.3	15.9	3	7.9	44°	21.6	14,200	12,900
* 157125	PM04139	B-1	R1/4	23.6	12.7	7.8	2.3	14.3	15.9	3	7.9	36°	23.7	11,200	10,100
* 157126	PM04140-SS	B-2	R1/4	23.6	12.7	7.8	2.3	14.3	15.9	3	7.9	36°	21.9	14,500	13,200
* 157127	PM04158	B-1	R1/4	23.6	12.7	14.2	2.3	14.3	15.9	3	7.9	36°	23.9	10,700	9,600
* 157128	PM04159-SS	B-2	R1/4	23.6	12.7	14.2	2.3	14.3	15.9	3	7.9	36°	22.1	13,800	12,400
* 111462	PM17B-1	B-1	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	3	8	32°	23.8	10,400	9,350
* 111463	PM17B-2	B-2	R1/4	23.8	12.7	31.8	2.3	14.3	15.9	3	8	32°	22	13,600	12,200
* 157129	PM07140	B-1	R1/4	23.6	12.7	1.3	2.3	14.3	15.9	4.1	7.9	36°	23.2	11,000	9,900
* 157130	PM04146-SS	B-2	R1/4	23.6	12.7	1.3	2.3	14.3	15.9	4.1	7.9	36°	21.3	14,200	12,900
* 157131	PM04148	B-1	R1/4	23.6	12.7	14.3	2.3	14.3	15.9	4.1	7.9	32°	23.7	11,500	10,300
* 157132	PM04150-SS	B-2	R1/4	23.6	12.7	14.3	2.3	14.3	15.9	4.1	7.9	32°	21.8	14,900	13,400
* 157133	PM04152	B-1	R1/4	23.6	12.7	33	2.3	14.3	15.9	4.1	7.9	32°	24.6	12,000	10,900
* 157134	PM04154-SS	B-2	R1/4	23.6	12.7	33	2.3	14.3	15.9	4.1	7.9	32°	22.7	15,500	14,000

■仕様・価格表 (取付ネジ径 R3/8)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 157135	PM08210	B-1	R3/8	28.6	15.9	11	2.3	17.5	19.1	1.6	9.5	40°	46.6	12,900	11,600
* 157136	PM08212-SS	B-2	R3/8	28.6	15.9	11	2.3	17.5	19.1	1.6	9.5	40°	43.2	16,700	15,200
* 157137	PM08214	B-1	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	1.6	9.5	40°	49.3	13,700	12,300
* 157138	PM08216-SS	B-2	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	1.6	9.5	40°	45.9	17,800	16,100
* 157139	PM08220	B-1	R3/8	28.6	15.9	11	2.3	17.5	19.1	2.1	9.5	40°	46.4	12,900	11,600
* 157140	PM08222-SS	B-2	R3/8	28.6	15.9	11	2.3	17.5	19.1	2.1	9.5	40°	42.9	16,700	15,200
* 157141	PM08224	B-1	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	2.2	9.5	40°	48.7	13,700	12,300
* 157142	PM08226-SS	B-2	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	2.2	9.5	40°	45.3	17,800	16,100
* 157143	PM08230	B-1	R3/8	28.6	15.9	14.2	2.3	17.5	19.1	3	9.5	40°	46.1	13,200	11,900
* 157144	PM08232-SS	B-2	R3/8	28.6	15.9	14.2	2.3	17.5	19.1	3	9.5	40°	42.7	17,200	15,500
* 157145	PM08234	B-1	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	3	9.5	40°	47.7	13,700	12,300
* 157146	PM08236-SS	B-2	R3/8	28.6	15.9	33.3	2.3	17.5	19.1	3	9.5	40°	44.3	17,800	16,100
* 157147	PM08238	B-1	R3/8	28.6	15.9	1.7	2.3	17.5	19.1	4.1	9.5	40°	44.4	12,600	11,400
* 157148	PM08239-SS	B-2	R3/8	28.6	15.9	1.7	2.3	17.5	19.1	4.1	9.5	40°	41	16,400	14,900
* 157149	PM08240	B-1	R3/8	28.6	15.9	14.2	2.3	17.5	19.1	4.1	9.5	40°	45	13,200	11,900
* 157150	PM08242-SS	B-2	R3/8	28.6	15.9	14.2	2.3	17.5	19.1	4.1	9.5	40°	41.6	17,200	16,100
* 157151	PM08244	B-1	R3/8	28.6	15.9	33.2	2.3	17.5	19.1	4.1	9.5	40°	45.7	13,700	12,300
* 157152	PM08246-SS	B-2	R3/8	28.6	15.9	33.2	2.3	17.5	19.1	4.1	9.5	40°	42.3	17,800	16,100
* 157153	PM08258	B-1	R3/8	28.6	15.9	13.8	2.3	17.5	19.1	5	9.5	34°	45.2	13,200	11,900
* 157154	PM08260-SS	B-2	R3/8	28.6	15.9	13.8	2.3	17.5	19.1	5	9.5	34°	41.7	17,200	16,100
* 157155	PM08248	B-1	R3/8	28.6	15.9	1.3	2.3	17.5	19.1	5.6	9.5	34°	43.6	12,600	11,400
* 157156	PM08249-SS	B-2	R3/8	28.6	15.9	1.3	2.3	17.5	19.1	5.6	9.5	34°	40.1	16,400	14,900
* 111464	PM18B-1	B-1	R3/8	28.6	16	12.7	2.3	17.5	19.1	5.6	9.6	34°	42.4	11,500	10,300
* 111465	PM18B-2	B-2	R3/8	28.6	16	12.7	2.3	17.5	19.1	5.6	9.6	34°	39.4	15,000	13,500
* 111466	PM19B-1	B-1	R3/8	28.6	16	31.8	2.3	17.5	19.1	5.6	9.6	34°	40.6	11,900	10,800
* 111467	PM19B-2	B-2	R3/8	28.6	16	31.8	2.3	17.5	19.1	5.6	9.6	34°	37.6	15,700	14,000

インサートノズルPM型

INSERT NOZZLES No.E-9991PM

RoHS対応

サイズ追加



仕様・価格表 (取付ネジ径 M6x1)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 111450	PM 9B-2	A	M6X1	17.1	9.5	6.4	2.3	9.5	11.1	1	2.8	34°	7.6	11,100	9,900
* 157157	PM22016-SS	A	M6X1	16.8	9.3	0	2.3	9.5	11.1	1.6	2.9	40°	7.2	12,000	10,900
* 111451	PM10B-2	A	M6X1	17.1	9.5	6.4	2.3	9.5	11.1	1.6	2.8	34°	7.6	11,100	9,900
* 157158	PM22032-SS	A	M6X1	16.8	9.3	0	2.3	9.5	11.1	2.1	2.9	36°	7.1	12,000	10,900

仕様・価格表 (取付ネジ径 M8x1.25)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 157159	PM22112-SS	A	M8X1.25	17.5	9.3	5.8	2.3	9.5	11.1	1	4	34°	8	12,300	11,200
* 157160	PM22116-SS	A	M8X1.25	17.5	9.3	0	2.3	9.5	11.1	1.6	4.1	40°	7.8	12,000	10,900
* 157161	PM22122-SS	A	M8X1.25	17.5	9.3	5.8	2.3	9.5	11.1	1.6	4.1	34°	7.9	12,300	11,200
* 157162	PM22132-SS	A	M8X1.25	17.5	9.3	0	2.3	9.5	11.1	2.1	4.1	36°	7.7	12,000	10,900

仕様・価格表 (取付ネジ径 M10x1.5)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 111452	PM11B-2	A	M10X1.5	18.6	9.5	6.4	2.3	9.5	11.1	1	4	34°	8.8	11,100	9,900
* 157163	PM22316-SS	A	M10X1.5	18.3	9.3	0	2.3	9.5	11.1	1.6	4.1	40°	10	12,000	10,900
* 111453	PM12B-2	A	M10X1.5	18.6	9.5	6.4	2.3	9.5	11.1	1.6	4	34°	8.8	11,100	9,900
* 157164	PM22332-SS	A	M10X1.5	18.3	9.3	0	2.3	9.5	11.1	2.1	4.1	36°	9.9	12,300	11,200

仕様・価格表 (取付ネジ径 5/16-24UNF)

* 標準在庫品

オーダーNo.	No.	タイプ	A	B	C	D	E	F	G	H	I	J	質量 g	単品価格	
														1~9個	10個以上
* 157173	PM07310	B-1	5/16-24UNF	17.5	9.5	5.8	2.3	9.5	11.1	1	4	34°	10.2	9,400	8,550
* 157174	PM07312-SS	B-2	5/16-24UNF	17.5	9.5	5.8	2.3	9.5	11.1	1	4	34°	9.4	12,300	11,200
* 157175	PM07315	B-1	5/16-24UNF	17.5	9.5	0	2.3	9.5	11.1	1.6	4	40°	10	9,250	8,350
* 157176	PM07316-SS	B-2	5/16-24UNF	17.5	9.5	0	2.3	9.5	11.1	1.6	4	40°	9.2	12,000	10,900
* 157177	PM07320	B-1	5/16-24UNF	17.5	9.5	5.8	2.3	9.5	11.1	1.6	1.6	34°	10.1	9,400	8,550
* 157178	PM07322-SS	B-2	5/16-24UNF	17.5	9.5	5.8	2.3	9.5	11.1	1.6	4	34°	9.3	12,300	11,200
* 157179	PM07330	B-1	5/16-24UNF	17.5	9.5	0	2.3	9.5	11.1	2.1	4	36°	10	9,250	8,350
* 157180	PM07332-SS	B-2	5/16-24UNF	17.5	9.5	0	2.3	9.5	11.1	2.1	4	36°	9.1	12,000	10,900